



Bringing Workplace Solutions Into Focus

Lighter Quieter Safer

Commercial, private, corporate and defense — 3M helps aerospace manufacturers get new designs and improvements off the ground with a breadth of solutions for operations, maintenance and repair, production, worker safety, and facility care.

Whether you're looking for reliable day-to-day items or the right product to address a specific problem, 3M Industrial Products for Aerospace Manufacturing provide the performance you can depend on.



Workplace Solutions

Maintenance, Repair and Operation (MRO) work is the foundation of every business. Whether you're fixing something that has broken or performing routine maintenance on your facility, finding the right products is of the highest concern.

The 3M products found here reflect those commonly used by aerospace facilities to keep their business running smoothly. They are products that offer:


- Value** – through solutions that help improve efficiency and productivity
- Versatility** – with options to help keep your business running effectively and safely
- Vision** – via innovative solutions that help solve critical MRO challenges

The featured items are only a snapshot of 3M solutions for aerospace manufacturing. Contact us today to discuss the full line of products to renew your MRO operations.

Table of Contents

Abrasives	2–5
Adhesives	6
Facility Maintenance	7
Matting & Treads	7–8
Paint Finishing	8
Safety Products	9–10
Spray Equipment for Coatings . . .	11
Tapes	12–14

Abrasives



3M™ Clean Sanding Disc 236U

A premium aluminum oxide Hookit™ disc with precise hole design for improved dust extraction constructed on a C-wt, paper backing. Works well on a variety of substrates. The open coat feature provides an aggressive cut and a load resistant coating that extends abrasive life.

UPC	Grade	MOQ	Size	Case Qty/Units
00-051141-55519-5	P120	50	3"	250
00-051141-55520-1	P150	50	3"	250
00-051141-55521-8	P180	50	3"	250
00-051141-55522-5	P220	50	3"	250
00-051141-55523-2	P240	50	3"	250
00-051141-55525-6	P400	50	3"	250
00-051141-55526-3	P500	50	3"	250
00-051141-55598-0	P80	50	5"	250
00-051141-55599-7	P100	50	5"	250
00-051141-55600-0	P120	50	5"	250
00-051141-55601-7	P150	50	5"	250
00-051141-55500-3	P180	50	5"	250
00-051141-55501-0	P220	50	5"	250
00-051141-55502-7	P240	50	5"	250
00-051141-55503-4	P320	50	5"	250
00-051141-55504-1	P400	50	5"	250
00-051141-55505-8	P500	50	5"	250
00-051141-55506-5	P80	50	6"	250
00-051141-55507-2	P100	50	6"	250
00-051141-55508-9	P120	50	6"	250
00-051141-55509-6	P150	50	6"	250
00-051141-55510-2	P180	50	6"	250
00-051141-55511-9	P220	50	6"	250
00-051141-55512-6	P240	50	6"	250
00-051141-55513-3	P320	50	6"	250
00-051141-55514-0	P400	50	6"	250
00-051141-55515-7	P500	50	6"	250



3M™ Hookit™ Finishing Film Disc

Levels orange peel, dust nibs or paint runs in all types of paints. Appropriate for light sanding on refinish lacquer.

UPC	Grade	MOQ	Description	Size	Case Qty/Units
00-051131-00968-4	P1200	1 Box	100 Discs per box	6"	4 Boxes per case
00-051131-00907-3	P1500	1 Box	50 Discs per box	3"	4 Boxes per case
00-051131-00951-6	P1500	1 Box	100 Discs per box	5"	4 Boxes per case
00-051131-00950-9	P1500	1 Box	100 Discs per box	6"	4 Boxes per case



3M™ Hookit™ Finishing Film Disc D/F

Performance dust-free abrasive disc with Hookit™ attachment. Seven holes for dust-free sanding. Use to level orange peel, dust nibs, and paint runs in all types of paints.

UPC	Grade	MOQ	Description	Size	Case Qty/Units
00-051131-01069-7	P1000	1 Box	100 Discs per box	6"	4 Boxes per case
00-051131-01068-0	P1200	1 Box	100 Discs per box	6"	4 Boxes per case
00-051131-01050-5	P1500	1 Box	100 Discs per box	6"	4 Boxes per case



3M™ Purple Finishing Film Hookit™ Disc Dust-Free

High performance dust-free abrasive disc with Hookit™ attachment. Removing dust nibs and texture matching orange peel.

UPC	Grade	MOQ	Description	Size	Case Qty/Units
00-051131-30768-1	P1200	1 Box	50 Discs per box	6"	4 Boxes per case
00-051131-30767-4	P1500	1 Box	50 Discs per box	6"	4 Boxes per case



3M™ Trizact™ Hookit™ Foam Discs 443SA

High performance abrasive disc with Hookit™ attachment. P3000 for refining P1200-P1500 grade sand scratches during paint finishing process. 5000 grit for refining P3000 grade sand scratches.

UPC	Grade	MOQ	Description	Size	Case Qty/Units
00-051131-02085-6	P3000	1 Box	15 Discs per box	6"	4 Boxes per case
00-051131-30662-2	P5000	1 Box	15 Discs per box	6"	4 Boxes per case



Scotch-Brite™ Roloc™ Surface Conditioning Disc

Metalworking industry's top choice for cleaning, finishing, blending and deburring applications. Available in a full range of attachment systems.

UPC	Grade	MOQ	Color	Size	Case Qty/Units
00-048011-05523-7	A VFN	50	Blue	2" x NH	200
00-048011-05527-5	A MED	50	Maroon	2" x NH	200
00-048011-05528-2	A CRS	50	Brown	2" x NH	200
00-048011-05531-2	A MED	25	Maroon	3" x NH	100
00-048011-05532-9	A CRS	25	Brown	3" x NH	100



3M™ Roloc™ Disc 777F

A 3M™ ceramic grain Roloc™ disc constructed on a YF-wt, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry.

UPC	Grade	MOQ	Max RPM	Size	Case Qty/Units
00-051144-76629-1	36	50	25,000	2"	200
00-051144-76630-7	50	50	25,000	2"	200
00-051144-76433-4	60	50	25,000	2"	200
00-051144-14661-1	80	50	25,000	2"	200
00-051144-80508-2	P100	50	25,000	2"	200
00-051144-80512-9	P120	50	25,000	2"	200
00-051144-76631-4	36	50	20,000	3"	200
00-051144-76632-1	50	50	20,000	3"	200
00-051144-76633-8	60	50	20,000	3"	200
00-051144-76634-5	80	50	20,000	3"	200
00-051144-80509-9	P100	50	20,000	3"	200
00-051144-80513-6	P120	50	20,000	3"	200



3M™ Stikit™ Paper Disc Roll 236U

A good, general purpose aluminum oxide disc for sanding paint, primer, wood, metal, plastic and fiberglass. Features a strong, flexible C-wt, paper backing for more aggressive sanding and an open, load-resistant coating for extra life and increased cut.

UPC	Grade	MOQ	Size	Case Qty/Units
00-051141-55540-9	P80	1 RI (100)	5" x NH	4 RI (400)
00-051141-55541-6	P100	1 RI (100)	5" x NH	4 RI (400)
00-051141-55542-3	P120	1 RI (100)	5" x NH	4 RI (400)
00-051141-55543-0	P150	1 RI (100)	5" x NH	4 RI (400)
00-051141-55544-7	P180	1 RI (100)	5" x NH	4 RI (400)
00-051141-55545-4	P220	1 RI (100)	5" x NH	4 RI (400)
00-051141-55546-1	P240	1 RI (100)	5" x NH	4 RI (400)
00-051141-55547-8	P320	1 RI (100)	5" x NH	4 RI (400)
00-051141-55548-5	P400	1 RI (100)	5" x NH	4 RI (400)
00-051141-55549-2	P500	1 RI (100)	5" x NH	4 RI (400)
00-051141-55560-7	P80	1 RI (100)	6" x NH	4 RI (400)
00-051141-55561-4	P100	1 RI (100)	6" x NH	4 RI (400)
00-051141-55562-1	P120	1 RI (100)	6" x NH	4 RI (400)
00-051141-55563-8	P150	1 RI (100)	6" x NH	4 RI (400)
00-051141-55564-5	P180	1 RI (100)	6" x NH	4 RI (400)
00-051141-55565-2	P220	1 RI (100)	6" x NH	4 RI (400)
00-051141-55566-9	P240	1 RI (100)	6" x NH	4 RI (400)
00-051141-55567-6	P320	1 RI (100)	6" x NH	4 RI (400)
00-051141-55568-3	P400	1 RI (100)	6" x NH	4 RI (400)
00-051141-55569-0	P500	1 RI (100)	6" x NH	4 RI (400)



3M™ Stikit™ Paper Disc Roll 236U (Dust-Free)

A good, general purpose aluminum oxide disc for sanding paint, primer, wood, metal, plastic and fiberglass. Features a strong C-wt, paper backing for more aggressive sanding and an open, load-resistant coating for extra life and increased cut.

UPC	Grade	MOQ	Size	Case Qty/Units
00-051141-55550-8	P80	1 RI (100)	5" x 5 Holes	4 RI (400)
00-051141-55551-5	P100	1 RI (100)	5" x 5 Holes	4 RI (400)
00-051141-55552-2	P120	1 RI (100)	5" x 5 Holes	4 RI (400)
00-051141-55553-9	P150	1 RI (100)	5" x 5 Holes	4 RI (400)
00-051141-55554-6	P180	1 RI (100)	5" x 5 Holes	4 RI (400)
00-051141-55555-3	P220	1 RI (100)	5" x 5 Holes	4 RI (400)
00-051141-55557-7	P320	1 RI (100)	5" x 5 Holes	4 RI (400)
00-051141-55570-6	P80	1 RI (100)	6" x 6 Holes	4 RI (400)
00-051141-55571-3	P100	1 RI (100)	6" x 6 Holes	4 RI (400)
00-051141-55572-0	P120	1 RI (100)	6" x 6 Holes	4 RI (400)
00-051141-55573-7	P150	1 RI (100)	6" x 6 Holes	4 RI (400)
00-051141-55574-4	P180	1 RI (100)	6" x 6 Holes	4 RI (400)
00-051141-55575-1	P220	1 RI (100)	6" x 6 Holes	4 RI (400)
00-051141-55577-5	P320	1 RI (100)	6" x 6 Holes	4 RI (400)
00-051141-55578-2	P400	1 RI (100)	6" x 6 Holes	4 RI (400)



Scotch-Brite™ Hand Pads 7447/7448 PRO

High performance pads take less time to prep surfaces and last longer. Tightly graded abrasive particles for consistent, uniform scratch throughout life of the pad. New, long lasting pad made with durable non-woven nylon web is flexible enough to get into hard-to-sand places. Specially coated to minimize loading. Ideal for everyday uses like prepping surfaces for color coat, general scuffing, cleaning and hand blending. Center perforated for convenience.

UPC	ID	Grade	MOQ	Size	Case Qty/Units
00-048011-64926-9	7447 PRO	A VFN	Case	6" x 9"	60 (3 Boxes of 20)
00-048011-64935-1	7448 PRO	S ULF	Case	6" x 9"	60 (3 Boxes of 20)



Scotch-Brite™ Hand Pads

Only 3M offers genuine Scotch-Brite™ Hand Pads. Universally used in a variety of applications, Scotch-Brite™ Hand Pads are excellent to clean, scuff, grain, denib, defuzz, blend or finish a variety of materials. Use by hand, with a hand pad block, or sanders.


UPC	ID	Grade	MOQ	Color	Size	Case Qty/Units
00-048011-04029-5	7447	A VFN	Case	Maroon	6" x 9"	60 (3 Boxes of 20)
00-048011-04028-8	7448	S ULF	Case	Lt. Gray	6" x 9"	60 (3 Boxes of 20)



Scotch-Brite™ Multi-Flex Abrasive Sheet Roll

More "scrunchable" than hand pads and conveniently dispensed from its self-contained packaging, these 8" x 4" sheets can get to hard to reach corners and crevices. Excellent sharpness makes it a suitable substitute for steel wool. Used wet or dry, Scotch-Brite™ multi-flex abrasives won't rust. Use for sealer sanding, denibbing, defuzzing, highlighting and top coat finishing applications.

UPC	Grade	MOQ	Color	Size	Case Qty/Units
00-051131-07521-4	A VFN	1 Roll (60 Sheets)	Maroon	8" x 20'	240 (4 Rolls of 60 sheets)
00-051131-07522-1	S ULF	1 Roll (60 Sheets)	Gray	8" x 20'	240 (4 Rolls of 60 sheets)



3M™ Flexible Foam Sanding Sponge

Flexible foam sanding sponge is ideal for sanding wood, paint, metal, plastic and drywall. The flexible foam sponge can be used for either dry or wet sanding and can be rinsed and reused. Extremely flexible, softback.

UPC	Grade	MOQ	Size	Case Qty/Units
00-051141-27888-9	MED	Case	4-1/2" x 5-1/2" x 3/16"	250
00-051141-27887-2	FIN	Case	4-1/2" x 5-1/2" x 3/16"	250
00-051141-27886-5	SFN	Case	4-1/2" x 5-1/2" x 3/16"	250
00-048011-64764-7	UFN	Case	4-1/2" x 5-1/2" x 3/16"	250
00-051141-28165-0	MED	20	4-1/2" x 5-1/2" x 3/16"	120
00-051141-28166-7	FIN	20	4-1/2" x 5-1/2" x 3/16"	120
00-051141-28167-4	SFN	20	4-1/2" x 5-1/2" x 3/16"	120
00-051141-28168-1	UFN	20	4-1/2" x 5-1/2" x 3/16"	120



Original



Elite

3M™ Self-Generated Vacuum Random Orbital Sanders

Take dust-management to the next level with this powerful self-generated vacuum tool, featuring 3M-patented Clean Sanding system with improved, HEPA-rated filter bag.

UPC	Orbit	MOQ	Max RPM	Size	Case Qty/Units
Original Series					
00-051141-20252-5	3/16"	Case	12,000	3"	1
00-051141-20319-5	3/16"	Case	12,000	5"	1
00-051141-20327-0	3/16"	Case	12,000	6"	1
Elite Series					
00-051141-28511-5	3/16"	Case	12,000	3"	1
00-051141-28513-9	3/32"	Case	12,000	3"	1
00-051141-28515-3	3/32"	Case	12,000	5"	1
00-051141-28514-6	3/16"	Case	12,000	5"	1
00-051141-28512-2	5/16"	Case	12,000	5"	1
00-051141-28563-4	3/8"	Case	12,000	5"	1
00-051141-28517-7	3/32"	Case	12,000	6"	1
00-051141-28516-0	3/16"	Case	12,000	6"	1
00-051141-28510-8	5/16"	Case	12,000	6"	1
00-051141-28562-7	3/8"	Case	12,000	6"	1

Adhesives



3M™ Neoprene High Performance Contact Adhesive 1357

A high performance contact adhesive that provides a long bonding range and excellent initial strength. Can be used to bond most rubber, cloth, metal, wood, foamed glass, paper honeycomb, decorative plastic laminates and many other substrates. Meets requirements of MMM-A-121. NOT FOR SALE IN CALIFORNIA.

UPC	Size	Packaging
00-021200-64963-9	5 gal. Pail (with spout)	1/Case



3M™ Scotch-Weld™ Epoxy Adhesive DP190 Duo-Pak

Bonds to a variety of materials such as metals, ceramics, wood and many plastics. 3M™ Scotch-Weld™ EPX™ Applicator and mix nozzles are required for dispensing (not included).

UPC	Color	Size	Packaging
00-021200-22647-2	Gray	50 mL	12/Case
00-021200-87840-4	Gray	200 mL	12/Case
00-021200-87841-1	Gray	400 mL	6/Case
00-021200-87219-8	Translucent	50 mL	12/Case
00-021200-87838-1	Translucent	200 mL	12/Case
00-021200-87839-8	Translucent	400 mL	6/Case



3M™ Scotch-Weld™ Epoxy Adhesive DP420 Duo-Pak

Toughened, two-part epoxy adhesive. 2:1 mix ratio, 20 minute work life and handling strength in approximately 2 hours. 3M™ Scotch-Weld™ EPX™ Plus II applicator and mix nozzles are required for dispensing (not included). Exhibits good shear and peel strengths along with good impact and durability. It bonds extremely well to many surfaces, such as metals, ceramics, wood and some plastics.

UPC	Color	Size	Packaging
00-021200-82236-0	Off-white	37 mL	12/Case
00-021200-87832-9	Off-white	200 mL	12/Case
00-021200-87833-6	Off-white	400 mL	6/Case



3M™ Scotch-Weld™ Epoxy Adhesive DP460 Duo-Pak

Toughened, two-part epoxy adhesive. 2:1 mix ratio, 60 minute work life and handling strength in approximately 4 hours. 3M™ Scotch-Weld™ EPX™ Plus II applicator and mix nozzles are required for dispensing (not included). Also available in a non-sag version for vertical applications.*

UPC	Color	Size	Packaging
00-021200-82225-4	Off-white	37 mL	12/Case
00-021200-87830-5	Off-white	200 mL	12/Case
00-021200-87831-2	Off-white	400 mL	6/Case
00-021200-43670-3*	Off-white	37 mL	12/Case
00-021200-43671-0*	Off-white	200 mL	12/Case
00-021200-43672-7*	Off-white	400 mL	6/Case



Scotch-Brite™ General Purpose Scouring Pad 96

Use for everyday cleaning of most cooking utensils and equipment. Scours 2 to 3 times faster and lasts 2 to 3 times longer than comparable pads. Non-rusting and resilient, this synthetic pad is an ideal replacement for steel wool or stainless steel scrubbers.

UPC	Color	Description	Size	Packaging
50-048011-08293-1	Green	20 Pads per box	6" x 9"	3 Boxes/Case



Scotch-Brite™ Medium Duty Scrub Sponge 74

Dual-action cleaning tool. On one side, it's a No. 96 scouring pad for scrubbing and cleaning. On the other side, the cellulose sponge quickly wipes up spills and messes and can carry cleaning solutions to the work surface.

UPC	Color	Size	Packaging
50-048011-20688-7	Yellow/Green	6.1" x 3.6" x 0.7"	20/Case



3M™ Easy Trap Flip Holder

Holder works with standard threaded U.S. broom handle. Easy to flip holder clamps onto the 3M™ Easy Trap Duster and allows the customer to easily use both sides of the cloth without bending over. The "A" shape allows the user to plow large debris without it tumbling over the holder.

UPC	Size	Packaging
50-048011-59247-8	23"	6/Case



3M™ Easy Trap Duster

For dust, dirt and sand removal.

UPC	Description	Size	Packaging
00-048011-55655-0	500 Sheets per box	5" x 6" x 125'	2 Rolls/Case
00-048011-55654-3	250 Sheets per box	8" x 6" x 125'	1 Roll/Case

Matting & Treads



3M™ Clean-Walk Mat 5830

An adhesive-coated mat that is used in removing dirt from the bottom of shoes, wheels or any passing objects. To expose an adhesive surface, just peel the top sheet back.

UPC	Color	Description	Size	Packaging
00-021200-55730-9	White	30 Sheets per mat	18" x 36"	4 Mats per case
00-021200-55728-6	White	30 Sheets per mat	25" x 45"	4 Mats per case



3M™ Safety-Walk™ Slip-Resistant General Purpose Tapes and Treads 600 Series

This mineral-coated, slip-resistant material features a highly durable surface. Low-profile design helps reduce trip hazards.

UPC	ID	Color	Size	Packaging
50-048011-19221-0	610	Black	2" x 60'	2 Rolls/Case
50-048011-19223-4	610	Black	4" x 60'	1 Roll/Case
50-048011-19218-0	610	Black	6" x 24"	50 Treads/Case
50-048011-19224-1	610	Black	6" x 60'	1 Roll/Case
50-048011-26421-4	630	Safety Yellow	2" x 60'	2 Rolls/Case
50-048011-26420-7	630	Safety Yellow	4" x 60'	1 Roll/Case



3M™ Safety-Walk™ Slip-Resistant Conformable Tapes and Treads 500 Series

Ideal for use on diamond grade safety plates, steps and other irregular surfaces. Mineral coated, slip-resistant material with aluminum foil backing. Conforms to irregular surfaces and around edges.

UPC	ID	Color	Size	Packaging
50-048011-19280-7	510	Black	2" x 60'	2 Rolls/Case
50-048011-19281-4	510	Black	4" x 60'	1 Roll/Case
50-048011-19279-1	510	Black	6" x 24"	50 Treads/Case
50-048011-19282-1	510	Black	6" x 60'	1 Roll/Case
50-048011-19288-3	530	Safety Yellow	2" x 60'	2 Rolls/Case

3M™ Safety-Walk™ Slip-Resistant Medium Resilient Tapes and Treads 300 Series

Features a resilient, non-mineral, slip-resistant material. Soft surface is suitable for bare feet. For locker rooms and recreational/athletic equipment, boats and docks, interior stairwells, entryways and lobbies.

UPC	ID	Color	Size	Packaging
50-048011-19294-4	310	Black	2" x 60'	2 Rolls/Case
50-048011-19296-8	310	Black	4" x 60'	1 Roll/Case
50-048011-19292-0	310	Black	6" x 24"	50 Treads/Case
50-048011-19297-5	310	Black	6" x 60'	1 Roll/Case

Paint Finishing



3M™ Perfect-It™ EX Rubbing Compound

3M's best rubbing compound when looking for EXtra performance: EXtra Cutting. EXtra Smooth Handling. EXtremely Easy to Use and Clean Up. Unique formula quickly removes P1200 grade and finer sand scratches and other surface defects.

UPC	Size	Case Qty/Units
00-051131-36058-7	8 oz.	12/Case
00-051131-36060-0	1 qt.	6/Case
00-051131-36061-7	1 gal.	4/Case



3M™ Perfect-It™ Machine Polish

3M's best performing machine polish. Quickly and effectively removes compound swirl marks while producing an outstanding high gloss finish. Good handling, easy cleanup.

UPC	Size	Case Qty/Units
00-051131-06064-7	1 qt.	6/Case
00-051131-06065-4	1 gal.	4/Case



3M™ Maintenance Sorbent Rug, High Capacity

This maintenance sorbent rug is designed for use in industrial maintenance applications. It is designed to sorb liquids while enduring the punishment of being tread upon. Sorbent rugs are both durable and versatile. The M-RGC36100E coating acts as a fluid barrier, protecting the surface below the rug.

UPC	ID	Color	Description	Size	Packaging
00-051138-29002-3	M-RG36300E	Gray	Rug	36" x 300'	1/Case
00-051138-29003-0	M-RGC36100E	Gray	Rug with coating	36" x 100'	1/Case



3M™ Maintenance Sorbent Folded M-FL550DD, High Capacity

This high capacity maintenance sorbent has a scrim on one side to increase strength and help eliminate linting. Dispenses from a carrying/dispenser box in the form of a continuous roll, perforated every 16" so you can select the length required. Utilizing 3M's folded sorbent technology, it can be used as a pillow, pad, roll or boom.

UPC	ID	Size	Packaging
50-051131-07172-3	M-FL550DD	5" x 50'	3/Case



3M™ Maintenance Sorbent Pad M-PD1520DD, High Capacity

This high capacity sorbent has a scrim on one side to increase strength and help eliminate linting. This conveniently sized pad allows the user to quickly spread sorbent on and in the path of a spill.

UPC	ID	Description	Size	Packaging
50-051131-07164-8	M-PD1520DD	Sorbs approx. 37.5 gal./Case	15.5" x 20.5"	100/Case



3M™ Maintenance Sorbent Roll M-RL15150DD, High Capacity

This maintenance sorbent pad has a scrim on one side to increase the strength and help eliminate linting. Available in a convenient width of 15", perfect for lining drawers, covering workbenches or masking larger areas from mist and overspray.

UPC	ID	Description	Size	Packaging
50-051131-07166-2	M-RL15150DD	Sorbs approx. 31 gal./Case	15.5" x 150'	1/Case



3M™ Particulate Respirator 8210, N95

Designed to help provide comfortable, reliable worker protection against certain non-oil based particles. Its lightweight construction helps promote greater worker acceptance, comfort and increased wear time.

UPC	Description	Packaging
50-051138-46457-3	20/ltr	160/Case



3M™ Particulate Welding Respirator 8212, N95, with Faceseal

Designed for applications such as welding, soldering and other operations where metal fumes may be present.

UPC	Description	Packaging
50-051138-54141-0	10/ltr	80/Case



3M™ Particulate Respirator 8511, N95

Uniquely designed to help provide protection against certain non-oil based particles. It is ideally suited for work settings that involve heat, humidity, or long periods of wear.

UPC	Description	Packaging
50-051138-54343-8	10/ltr	80/Case



3M™ Full Facepiece 6000 Series

For use with 3M™ Cartridges 6000 Series; 3M™ Filters 2000, 2200, 7000 or 5000 Series; or 3M™ Dual Airline Systems for protection against a variety of gases, vapors and particulate hazards according to NIOSH approvals.

UPC	ID	Size	Packaging
50-051138-54146-5	6800	Medium	4/Case
50-051138-54159-5	6900	Large	4/Case



3M™ Particulate Filter 2091, P100

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or 3M™ Cartridge 6000 Series with 3M™ Adapter 502, or 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

UPC	Packaging
50-051131-07000-9	100/Case



3M™ Organic Vapor Cartridge 6001

NIOSH approved against certain organic vapors. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

UPC	Packaging
50-051138-21674-5	60/Case



3M™ Cartridge/Filter Organic Vapor/P100, 60921

NIOSH approved against certain organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

UPC	Packaging
50-051138-46465-8	60/Case



3M™ Cartridge/Filter Multi Gas/Vapor/P100, 60926

NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

- OSHA requires that gas-proof goggles be worn with half facepiece respirators when used against formaldehyde.


UPC	Packaging
50-051138-54187-8	60/Case



3M™ SecureFit™ Protective Eyewear

Stylish, lightweight design weighs less than one oz. Features proprietary 3M™ Pressure Diffusion Temple Technology that helps diffuse pressure over the ear to enhance frame comfort while not compromising the security of fit across a diverse workforce. Meets ANSI Z87.1-2010 and CSA Z94.3 standards.

UPC	ID	Packaging
10-078371-65717-5	SF201AF	20/Case



3M™ E-A-R™ UltraFit™ Earplugs 340-4004

Feature a proprietary, premolded, triple-flange design that fits comfortably in most earcanals. Soft polymer is washable and reusable. NRR 25 dB.* Test compatible with 3M™ E-A-Rfit™ Validation System. Packaged 100 pair/Box, 4 boxes/Case.

UPC	ID	Description	Packaging
10-080529-40003-8	340-4004	Corded, Poly Bag	400/Case

*The NRR may overestimate the protection provided during typical use.
3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided.



Spray Equipment for Coatings



3M™ Dirt Trap Protection Material

White non-woven surface protection material with adhesive backing. Designed to protect surfaces while trapping dust, dirt, and paint overspray. Great for capturing and containing Foreign Object Debris.

UPC	ID	Color	Size	Case Qty/Units
00-051131-36849-1	36849	White	4" x 300'	6 Rolls per case
00-051131-36850-7	36850	White	6" x 300'	4 Rolls per case
00-051131-36851-4	36851	White	14" x 300'	1 Roll per case
00-051131-36852-1	36852	White	28" x 300'	1 Roll per case
00-051131-36853-8	36853	White	56" x 300'	1 Roll per case



3M™ PPS™ Large Cup & Collar

Large hard cup that supports and holds the PPS flexible liners (PN 16024, 16324 and 16325). Mix ratio inserts sold separately.

UPC	Case Qty/Units
00-051131-16023-1	1 Cup per box/4 Boxes per case



3M™ PPS™ Kit 16024 – Large, 200u Filters

Kit contains 25 disposable lids with 200 micron filters, 25 disposable liners, and 10 sealing plugs. The 200 micron filters are recommended for traditional solvent based paint or primer applications. Graduated measurement to 28 oz./840 mL when used with mix ratio film insert (mix ratio film inserts are sold separately). For use with PN 16023 or 16124.

UPC	Case Qty/Units
00-051131-16024-8	1 Kit per case



3M™ Accuspray™ Spray Gun Model HG14

Accuspray™ technology for applications requiring the use of a 1.4 mm atomizing head. Like all Accuspray System guns, the HG14 kit delivers the equivalent of a new spray gun—whenever you want one—for a fraction of the cost. Kit contains one spray gun, three atomizing heads and an airflow control valve. Orange color on handle.

UPC	Size	Case Qty/Units
00-051131-16577-9	1.4 mm	1/Case



3M™ Accuspray™ Spray Gun Model HG18

This revolutionary product provides the equivalent of a brand new spray gun on demand for a fraction of the cost. Kit contains one spray gun, three atomizing heads and an airflow control valve. Silver colored handle.

UPC	Size	Case Qty/Units
00-051131-16570-0	1.8 mm	1/Case



3M™ Accuspray™ Atomizing Head

Replaceable atomizing heads for use with any 3M™ Accuspray™ Spray Gun with replaceable atomizing head technology. Refill kits contain four atomizing heads.

UPC	Color	Size	Case Qty/Units
00-051131-16609-7	Red Opaque	2.0 mm	4 Heads per kit/6 Kits per case
00-051131-16611-0	Clear	1.8 mm	4 Heads per kit/6 Kits per case
00-051131-16612-7	Orange	1.4 mm	4 Heads per kit/6 Kits per case

Tapes



3M™ Performance Yellow Masking Tape 301+

Industrial-strength performance masking tape used for paint masking, bundling, holding and identifying applications. Uses 3M proprietary solvent-free adhesive. Sticks with confidence to most surfaces (including metal, rubber, glass and plastic) while removing cleanly in one piece. Strong yellow crepe paper backing conforms to irregular surfaces, resists bleed through of most industrial paint systems, and improves visibility during the paint masking process. Temperature use range up to 225°F (107°C.) Great paint lines. Medium-high conformability.

UPC	Color	Description	Size	Case Qty/Units
00-051115-64749-9	Yellow	Bulk	12 mm x 55 m	72 Rolls per case
00-051115-64750-5	Yellow	Bulk	18 mm x 55 m	48 Rolls per case
00-051115-64751-2	Yellow	Bulk	24 mm x 55 m	36 Rolls per case
00-051115-64756-7	Yellow	Individually labeled	24 mm x 55 m	36 Rolls per case
00-051115-64752-9	Yellow	Bulk	36 mm x 55 m	24 Rolls per case
00-051115-64757-4	Yellow	Individually labeled	36 mm x 55 m	24 Rolls per case
00-051115-64753-6	Yellow	Bulk	48 mm x 55 m	24 Rolls per case
00-051115-64758-1	Yellow	Individually labeled	48 mm x 55 m	24 Rolls per case
00-051115-64754-3	Yellow	Bulk	72 mm x 55 m	12 Rolls per case
00-070006-74994-2	Yellow	Log Roll, Bulk	1490 mm x 55 m	1 Roll per case



3M™ High Performance Green Masking Tape 401+

High performance masking tape used for critical paint masking applications. 3M proprietary solvent-free adhesive sticks with confidence to most surfaces including metal, rubber, glass, and plastic, while removing cleanly in one piece. Temperature range up to 250°F (121°C) for 30 minutes.

UPC	Color	Description	Size	Case Qty/Units
00-051115-64759-8	Green	Bulk	12 mm x 55 m	48 Rolls per case
00-051115-64760-4	Green	Bulk	18 mm x 55 m	48 Rolls per case
00-051115-64761-1	Green	Bulk	24 mm x 55 m	24 Rolls per case
00-051115-64767-3	Green	Individually labeled	24 mm x 55 m	24 Rolls per case
00-051115-64762-8	Green	Bulk	36 mm x 55 m	16 Rolls per case
00-051115-64768-0	Green	Individually labeled	36 mm x 55 m	16 Rolls per case
00-051115-64763-5	Green	Bulk	48 mm x 55 m	12 Rolls per case
00-051115-64769-7	Green	Individually labeled	48 mm x 55 m	12 Rolls per case
00-051115-69109-6	Green	Bulk	6 mm x 55 m	96 Rolls per case
00-051115-64764-2	Green	Bulk	72 mm x 55 m	8 Rolls per case
00-070006-74575-9	Green	Log Roll, Bulk	1490 mm x 55 m	1 Roll per case



3M™ Adhesive Transfer Tape 9485PC

Excellent high temperature resistance and chemical resistance. High bond strength at elevated temperatures. Use to laminate high performance plastics and difficult substrates, and to splice metal coils.

UPC	Description	Size	Case Qty/Units
00-021200-40784-0	Bulk	3/8" x 60 yd.	96 Rolls per case
00-021200-63476-5	Bulk	1/2" x 60 yd.	72 Rolls per case
00-021200-67233-0	Bulk	3/4" x 60 yd.	48 Rolls per case
00-021200-63477-2	Bulk	1" x 60 yd.	36 Rolls per case
00-021200-40782-6	Bulk	1-1/2" x 60 yd.	24 Rolls per case
00-021200-67413-6	Bulk	2" x 60 yd.	24 Rolls per case
00-021200-39609-0	Bulk	3" x 60 yd.	12 Rolls per case



3M™ Double Coated Tape 9500PC

5.6 mil 350 high performance acrylic adhesive double coat with polyester carrier on a 4.5 mil 61.5 lb. polycoated kraft paper liner.

UPC	Color	Description	Size	Case Qty/Units
00-021200-67796-0	Clear	Bulk	1" x 36 yd.	36 Rolls per case
00-021200-67795-3	Clear	Bulk	1/2" x 36 yd.	72 Rolls per case
00-021200-67794-6	Clear	Bulk	3/4" x 36 yd.	48 Rolls per case



3M™ X-Series Hi-Performance Transfer Tape XP2112

5.0 mil high performance acrylic adhesive transfer tape.

UPC	Description	Size	Case Qty/Units
00-051115-63838-1	Bulk	1/2" x 60 yd.	72 Rolls per case
00-051115-63839-8	Bulk	1" x 60 yd.	36 Rolls per case
00-051115-63840-4	Small Pack	1" x 60 yd.	9 Rolls per case
00-051115-63841-1	Bulk	1-1/2" x 60 yd.	24 Rolls per case
00-051115-63842-8	Bulk	2" x 60 yd.	24 Rolls per case
00-051115-63845-9	Bulk	48" x 60 yd.	1 Roll per case



3M™ X-Series Hi-Performance Double Coated Tape XP6114

5.6 mil high performance double coated polyester film tape.

UPC	Description	Size	Case Qty/Units
00-051115-63846-6	Bulk	1/2" x 36 yd.	72 Rolls per case
00-051115-63847-3	Bulk	3/4" x 36 yd.	48 Rolls per case
00-051115-63849-7	Bulk	1" x 36 yd.	36 Rolls per case
00-051115-63850-3	Small Pack	1" x 36 yd.	9 Rolls per case



3M™ Safety Stripe Tape 5700

Call attention to dangerous work areas, such as traffic lanes or hazardous materials. 5.4 mil (0.14 mm) vinyl backing with a rubber adhesive. Floor marking and safety identification applications. Also effective for protecting, masking and sealing. Resists most common solvents.

UPC	Color	Description	Size	Case Qty/Units
00-021200-04367-3	Black/White	Bulk	2" x 36 yd.	24 Rolls per case
00-051115-68820-1	Black/White	Individually labeled	3" x 36 yd.	12 Rolls per case



3M™ Safety Stripe Tape 5702

Call attention to dangerous work areas, such as traffic lanes or hazardous materials. 5.4 mil (0.14 mm) vinyl backing with a rubber adhesive. Floor marking and safety identification applications. Also effective for protecting, masking and sealing. Resists most common solvents.

UPC	Color	Description	Size	Case Qty/Units
00-021200-42892-0	Black/Yellow	Bulk	1" x 36 yd.	36 Rolls per case
00-051115-68829-4	Black/Yellow	Individually labeled	1" x 36 yd.	36 Rolls per case
00-051115-31402-5	Black/Yellow	Individually labeled	2" x 36 yd.	12 Rolls per case
00-051115-68827-0	Black/Yellow	Individually labeled	2" x 36 yd.	24 Rolls per case
00-021200-04585-1	Black/Yellow	Bulk	2" x 36 yd.	24 Rolls per case
00-021200-03951-5	Black/Yellow	Bulk	3" x 36 yd.	12 Rolls per case
00-051115-68826-3	Black/Yellow	Individually labeled	3" x 36 yd.	12 Rolls per case
00-051115-71283-8	Black/Yellow	Bulk	48" x 36 yd.	4 Rolls per case



3M™ Vinyl Tape 471

High performance vinyl tape with vivid color. Ideal for masking, wrapping or sealing many curved or irregular surfaces. Excellent for lane and safety marking applications. Ideal for color coding, abrasion protection, decoration and splicing applications. 5.2 mil thick vinyl backing with a rubber adhesive. Used for floor marking and safety identification. Maintains color even when exposed to heavy abrasion. Conformable, dead stretch properties to provide straighter lines. Clean removal, good solvent resistance.

UPC	Color	Description	Size	Case Qty/Units
00-051131-36404-2	Blue	Boxed	1/8" x 36 yd.	12 Rolls per box, 12 Boxes per case
00-051115-68845-4	Blue	Individually labeled	1/4" x 36 yd.	144 Rolls per case
00-021200-61192-6	Blue	Bulk	1/4" x 36 yd.	144 Rolls per case
00-021200-61221-3	Blue	Boxed	1/4" x 36 yd.	3 Rolls per box, 12 Boxes per inner, 4 per case
00-051131-36405-9	Blue	Boxed	1/4" x 36 yd.	12 Rolls per box, 12 Boxes per case
00-021200-85611-2	Blue	Boxed	3/8" x 36 yd.	12 Rolls per box, 8 Boxes per case
00-021200-07203-1	Blue	Boxed	1/2" x 36 yd.	12 Rolls per box, 6 Boxes per case
00-051131-36408-0	Blue	Boxed	1/2" x 36 yd.	12 Rolls per box, 6 Boxes per case
00-051131-36409-7	Blue	Boxed	3/4" x 36 yd.	12 Rolls per box, 4 Boxes per case



3M™ Vinyl Tape 471 (Cont.)

UPC	Color	Description	Size	Case Qty/Units
00-021200-05812-7	Blue	Boxed	¾" x 36 yd.	12 Rolls per box, 4 Boxes per case
00-051115-68843-0	Blue	Individually labeled	¾" x 36 yd.	48 Rolls per case
00-021200-03120-5	Blue	Bulk	¾" x 36 yd.	48 Rolls per case
00-021200-07204-8	Blue	Boxed	1" x 36 yd.	12 Rolls per box, 3 Boxes per case
00-051115-68847-8	Blue	Individually labeled	1" x 36 yd.	36 Rolls per case
00-021200-07170-6	Blue	Boxed	2" x 36 yd.	12 Rolls per box, 2 Boxes per case
00-051115-68863-8	Blue	Individually labeled	2" x 36 yd.	24 Rolls per case
00-021200-04308-6	Blue	Bulk	2" x 36 yd.	24 Rolls per case
00-051115-68849-2	Blue	Individually labeled	3" x 36 yd.	12 Rolls per case
00-021200-03122-9	Blue	Bulk	3" x 36 yd.	12 Rolls per case
00-051115-68842-3	Blue	Individually labeled	4" x 36 yd.	8 Rolls per case
00-021200-40226-5	Blue	Bulk	4" x 36 yd.	8 Rolls per case
00-051115-23333-3	Blue	Boxed	48" x 36 yd.	1 Roll per case
00-021200-30767-6	Red	Boxed	⅛" x 36 yd.	144 Rolls per case
00-051115-68821-8	Red	Individually labeled	1" x 36 yd.	36 Rolls per case
00-021200-07193-5	Red	Boxed	1" x 36 yd.	36 Rolls per case
00-021200-07205-5	Red	Boxed	¼" x 36 yd.	12 Rolls per box, 12 Boxes per case
00-051115-68819-5	Red	Individually labeled	¾" x 36 yd.	48 Rolls per case
00-021200-05805-9	Red	Boxed	¾" x 36 yd.	48 Rolls per case
00-021200-03106-9	Red	Bulk	¾" x 36 yd.	48 Rolls per case
00-021200-07206-2	Red	Boxed	⅜" x 36 yd.	12 Rolls per box, 8 Boxes per case
00-021200-07207-9	Red	Boxed	½" x 36 yd.	72 Rolls per case
00-051115-68866-9	Red	Individually labeled	2" x 36 yd.	24 Rolls per case
00-021200-04305-5	Red	Bulk	2" x 36 yd.	24 Rolls per case
00-051115-68825-6	Red	Individually labeled	3" x 36 yd.	12 Rolls per case
00-021200-06469-2	Red	Bulk	3" x 36 yd.	12 Rolls per case
00-051115-68828-7	Red	Individually labeled	4" x 36 yd.	8 Rolls per case
00-021200-03110-6	Red	Bulk	4" x 36 yd.	8 Rolls per case
00-051115-23332-6	Red	Boxed	48" x 36 yd.	1 Roll per case
00-021200-07180-5	Yellow	Bulk	½" x 36 yd.	48 Rolls per case
00-021200-05818-9	Yellow	Boxed	¼" x 36 yd.	12 Rolls per box, 12 Boxes per case
00-021200-30768-3	Yellow	Boxed	⅛" x 36 yd.	12 Rolls per box, 12 Boxes per case
00-051111-07104-5	Yellow	Bulk	.39" x 36 yd.	48 Rolls per case
00-021200-05819-6	Yellow	Boxed	¾" x 36 yd.	12 Rolls per box, 4 Boxes per case
00-051115-68852-2	Yellow	Individually labeled	¾" x 36 yd.	48 Rolls per case
00-021200-03127-4	Yellow	Bulk	¾" x 36 yd.	48 Rolls per case
00-051115-68855-3	Yellow	Individually labeled	1" x 36 yd.	36 Rolls per case
00-021200-03128-1	Yellow	Boxed	1" x 36 yd.	9 Rolls per box, 4 Boxes per case
00-021200-07182-9	Yellow	Boxed	1-½" x 36 yd.	12 Rolls per box, 6 Boxes per case
00-021200-06420-3	Yellow	Boxed	2" x 36 yd.	12 Rolls per box, 2 Boxes per case
00-051115-31401-8	Yellow	Individually labeled	2" x 36 yd.	12 Rolls per case
00-051115-68856-0	Yellow	Individually labeled	2" x 36 yd.	24 Rolls per case
00-021200-04310-9	Yellow	Bulk	2" x 36 yd.	24 Rolls per case
00-051115-68860-7	Yellow	Individually labeled	3" x 36 yd.	12 Rolls per case
00-021200-06470-8	Yellow	Bulk	3" x 36 yd.	12 Rolls per case
00-051115-68862-1	Yellow	Individually labeled	4" x 36 yd.	8 Rolls per case
00-021200-03131-1	Yellow	Bulk	4" x 36 yd.	8 Rolls per case
00-051115-23330-2	Yellow	Bulk	48" x 36 yd.	1 Roll per case



SORBENT PRODUCTS WARNING

Failure to properly handle and dispose of sorbents contaminated by hazardous materials could result in serious physical injury or death. For proper handling, consult the Material Safety Data Sheet for the material absorbed, applicable safety and health standards, contact your supervisor, or call 3M CSD Technical Service in the USA at 1-800-626-8578.



RESPIRATORY PRODUCTS WARNING

These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the USER Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M OH&ESD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.




EYE & FACE PRODUCT WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and / or splash see supervisor, read User Instructions and warnings on the package or call 3M OH&ESD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



HEARING PROTECTION PRODUCTS WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, User Instructions, or call 3M in USA at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.



IMPORTANT NOTICE TO PURCHASER

Warranty, Limited Remedy, and Disclaimer: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. User is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application. Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

3M, Accuspray, E-A-R, E-A-Rfit, EPX, Hookit, Perfect-It, PPS, Roloc, Safety-Walk, Scotch-Brite, Scotch-Weld, SecureFit, Stikit, and UltraFit are trademarks of 3M.



Industrial Markets Center

3M Center, Building 225
St. Paul, MN 55144-1000
www.3M.com

Please recycle. Printed in USA.
© 3M 2014. All rights reserved.